

Field Test Report

15.5-25 ECOMEGA SOLID SUPER HD CI07110



LATEST INSPECTION DATE


10/02/2016

2016

Background Info

Customer Reference	CI07110
Country/City	ITALY
Dimension	15.5-25
Brand/Type	ECOMEGA SOLID
Operation site	PAPER RECYCLING PLANTS
Machine	PALA
Model	JBC
Tires fitting date	01/04/2015
Hours at fitting date	2.181

Machine Type





Field Test Report

15.5-25 ECOMEGA SOLID SUPER HD CI07110

Test Report

Inspection date 08/04/2016

	TYRE POSITION	HOURS MOUNT	HOURS INSPEC.	RUNNING HOUR	WORKING DAY
ORIGINAL FILLED	FR	0	2.181	2.181	135
	FL	0	2.181	2.181	135
	RR	0	2.181	2.181	135
	RL	0	2.181	2.181	135
01/04/2015 ECOMEGA SOLID (1ST SET)	FR	2.181	7.576	5.395	340
	FL	2.181	7.576	5.395	340
	RR	2.181	7.576	5.395	340
	RL	2.181	7.576	5.395	340
10/02/2016 ECOMEGA SOLID (2ND SET)	FR	7.576			
	FL	7.576			
	RR	7.576		ON WORKING	
	RL	7.576			

Note

ORIGINAL OEM TYRES WERE RADIAL E3, FILLED WITH POLYURETHANE

ECOMEGA SOLID 15.5-25 HAVE RUN FOR NEARLY 5.400 WORKING HOURS = 2,5 TIMES MORE THAN THE FILLED ORIGINAL.



Field Test Report

15.5-25 ECOMEGA SOLID SUPER HD CI07110

Conclusions

ECOMEGA CONCLUDED THE TEST SUCCESSFULLY..

CUSTOMER IS SATISFIED AND CHOSE AGAIN ECOMEGA FOR THEIR MACHINES

Photo report

